

FIG. 1




FIG. 2




FIG. 3

Item	Description	Value employed in the present IA
Version 1		
version	Version of the certificate format	V3
serial Number	Serial number of the certificate assigned by the IA	Assigned in a serial fashion
signature algorithm Identifier algorithm parameters	Algorithm of the signature of the certificate and parameters thereof	Elliptic curve number/RSA parameters when an elliptic curve is used Key length when RSA is employed
issuer	IA name (in a distinguished name form)	Name of the present IA
validity notBefore notAfter	Period during which the certificate is valid Start date Expiration date	
subject	Name which identifies the user	User device ID or ID of the service subject
subject Public Key Info algorithm subject Public key	Information of the public key of the user Algorithm of the key Key	Elliptic curve/RSA Public key of the user
Version 3		
authority Key Identifier key Identifier authority Cert Issuer authority Cert Serial Number	Key identifier used in verification of the IA Key identification number (octal number) Name of the IA (in a general name form) Identification number	
subject key Identifier	Used when a plurality of keys are certified	Not used
key usage (0)digital Signature (1)non Repudiation (2)key Encipherment (3)data Encipherment (4)key Agreement (5)key CertSign (6)cRL Sign	Specifying the purpose of the key (0)for digital signature (1)to prevent repudiation (2)for encryption of the Key (3)for encryption of a message (4)for use in transmission of a symmetric key (5)used to verify the certificate (6)used to verify the signature of the certificate revolution list	0,1,4, or 6 is used
private Key Usage Period notBefore notAfter	Period during which the private key stored in the user is valid	Usage period is the same for the certificate, the public key, and the private Key (default)

09443893 083001 100000 " 00000000

FIG. 4

Certificate Policy policy Identifier policy Qualifiers	Certificate policy of the certificate authority Policy ID (according to ISO/IEC9834-1) Certification criteria	
policy Mappings issuer Domain Policy subject Domain Policy	Required only when the CA is certificated. Mappings of the policy of the issuer domain policy and the subject domain policy are defined	default = none
supported Algorithms algorithm Identifier intended Usage intended Certificate Policies	Attributes of the directory (X.500) are defined. Used to inform a receiving party of communication of the attributes the direction so that the receiving party can use the direction information	default = none
subject Alt Name	Alternative name of the user (in the form of GN)	not used
issuer Alt Name	Not used although this item is included in the certificate format (default = none)	default = none
subject Directory Attributes	Arbitrary attributes of the user	not used
basic Constraints	Specifies the public key to be certified	
cA path Len Constraint	Indicates whether the public key is used by a user or by a certificate authority to write a signature	default = used by a user
name Constraints permitted Subtrees base minimum	Used only when the certification is to certify a certification authority (CA)	default = none
maximum excluded Subtrees		
policy Constraints requier Explicit Policy inhibit Policy Mapping	Constraints are described in terms of requirements of explicit policy ID or inhibit policy mapping for the remaining certification path	
CRL Distribution Points	Indicates a reference point in the revocation list at which data is present which indicates whether the certificate of a user is revoked	Pointer which points to a location where the certificate is registered. The revocation list is managed by an issuer
Signature	Signature of the issuer	

09943893.083001

FIG. 5

	Item	Description
Indispensable Items	Version	Version
	Serial Number	Identification Number
	signature algorithm Identifier algorithm parameters	Signature algorithm Algorithm Parameters
	Issuer	Name of the identification authority (in the form of a distinguished name)
	Validity notBefore notAfter	Period during which the certificate is valid Start date Expiration date
	Subject	Name of the subject to be certificated (in a DN form)
Extended Items	subject Template Info encrypt Type encrypt Unique ID encryption Algorithm parameter validity subject Template Source subject Template	Template information <ul style="list-style-type: none"> • encrypt Type • The unique ID or the certificate number of a public key certificate used for encryption • Algorithm • parameter • Validity period (start date, expiration date) • Type of the template • Template
	Subject PKC info	Information about the public key certificate of the subject
	subject PKC serial Number	<ul style="list-style-type: none"> • Certificate number of the subject public key certificate
	subject PKC Unique ID	<ul style="list-style-type: none"> • Unique ID of the subject of the subject public key certificate
	Issuer Unique ID	Unique ID of the issuer
	Subject Unique ID	Unique ID of the subject
	Public Key Certificate	Public key certificate
	Issuer Alt Name	Alternative name of the issuer
	subject Directory Attributes	Personal information (encrypted as required) information used to authenticate subject Age, sex, etc.
	Valid Count	Number of times the certificate is allowed to be used
	Control Table Link Info Ctl Tbl Location Ctl Tbl Unique ID	Link information describing group information <ul style="list-style-type: none"> • Location of a link information control table (URL, IP address, etc.) • Identification number of the link information
Indispensable	IDA Signature	Signature of the IDA

09413693-003001

FIG. 6A




FIG. 6B




FIG. 6C




FIG. 7

PUBLIC KEY USED TO ENCRYPT TEMPLATES	EXAMPLES OF MANNERS IN WHICH TEMPLATE INFORMATION STORAGE IDC IS USED
PUBLIC KEY OF A USER OR A USER DEVICE	TO IDENTIFY AN AUTHORIZED USER OF A USER DEVICE (SUCH AS A PC) ON THE BASIS OF AN IDENTIFICATION CERTIFICATE OF THE USER
PUBLIC KEY OF A SERVICE PROVIDER	USED BY A SERVICE PROVIDER TO IDENTIFY A PARTICULAR USER SUCH AS A USER TO WHOM SERVICE IS TO BE PROVIDED, ON THE BASIS OF AN IDENTIFICATION CERTIFICATE (IDC) OF THE USER
PUBLIC KEY OF AN IDENTIFICATION AUTHORITY	IN DATA TRANSMISSION AMONG VARIOUS TERMINALS, A SENDER OR A RECEIVER IDENTIFIES

FIG. 8A




FIG. 8B





FIG. 9



```
graph TD
    Start([START A TEMPLATE DELETION PROCESS]) --> S21[S21 USER SUBMITS A TEMPLATE DELETION REQUEST TO THE IDA]
    S21 --> S22[S22 THE USER SUBMITS IDENTIFICATION DATA IDENTIFYING THE USER TO THE IDA]
    S22 --> S23[S23 THE USER SUBMITS ADDITIONAL INFORMATION (SUCH AS A PIN) TO THE IDA AS REQUIRED]
    S23 --> S24{S24 THE IDA CHECKS THE VALIDITY OF THE RECEIVED DATA}
    S24 -- NG --> S27[ERROR HANDLING]
    S24 -- OK --> S25[S25 THE IDA DELETES THE REGISTERED TEMPLATE, IDENTIFICATION DATA AND ADDITIONAL DATA]
    S25 --> S26[S26 THE IDA DELETES THE IDC OF THE USER AND DESCRIBES, IN AN INVALIDATED IDC LIST, THAT THE IDC HAS BEEN INVALIDATED]
    S26 --> End([END])
```

The flowchart illustrates the process of deleting a template from the IDA. It begins with the user submitting a deletion request (S21), followed by submitting identification data (S22) and additional information like a PIN (S23). The IDA then checks the validity of the received data (S24). If the data is invalid (NG), it proceeds to error handling (S27). If valid (OK), the IDA deletes the registered template, identification data, and additional data (S25), and finally updates the invalidated IDC list (S26) before reaching the end (END).

IDA System Components:

- ① SUBMIT A DELETION REQUEST, IDENTIFICATION DATA AND ADDITIONAL DATA:** Represented by a user icon pointing to the **IDENTIFICATION DATA RECEPTION** block.
- TEMPLATE RECEPTION:** A block that receives the template data.
- IDENTIFICATION DATA RECEPTION:** A block that receives the user's identification data and additional information.
- ② CHECK THE RECEIVED DATA:** The first step in the IDA's processing logic.
- ③ DELETE THE PERSONAL DATA:** The second step in the IDA's processing logic.
- ④ DESCRIBE THE INVALIDATION IN THE INVALIDATED IDC LIST:** The final step in the IDA's processing logic, which involves updating a database (represented by a cylinder icon) and a document icon.




FIG. 11

11 / 89





FIG. 12





FIG. 13




FIG. 14







FIG. 15

15 / 89



0043897-00001

FIG. 16



09943693.083001

FIG. 17






FIG. 18

18 / 89



00943893.003001

FIG. 19




FIG. 20




FIG. 21A




FIG. 21B




FIG. 21C




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33

USER ID	IDENTIFICATION CERTIFICATE (IDC) IDENTIFIER
ABC0001	CDE00021
ABC0002	CDE00027
ABC0003	CDE03211
⋮	⋮
BBC0231	EED02333

FIG. 34

DATA TYPE	
TYPE OF DEALING POLICY	
PERIOD DURING WHICH DEALING POLICY IS VALID	
CONTENT ID	
CONTENT PROVIDER ID	
DEALING POLICY ID	
VERSION OF THE DEALING POLICY	
AREA CODE	
USABLE DEVICE CONDITIONS	
USERS PERMITTED TO USE THE CONTENT	
IDC IDENTIFIER LIST	
SERVICE PROVIDER ID	
UCP GENERATION MANAGEMENT INFORMATION	
MAXIMUM ALLOWABLE NUMBER OF SECONDARY DISTRIBUTIONS	
NUMBER OF RULES	
RULE ADDRESS	
RULE 1	RULE NUMBER
	TYPE OF PERMITTED USAGE
	:
:	:
RULE N	RULE NUMBER
	TYPE OF PERMITTED USAGE
	:
(INDICATION OF WHETHER THE SIGNATURE HAS BEEN VERIFIED)	
PUBLIC KEY CERTIFICATE	
SIGNATURE	

FIG. 36

DATA TYPE	
TYPE OF PRICE INFORMATION	
PERIOD DURING WHICH THE PRICE INFORMATION IS VALID	
CONTENT ID	
SERVICE PROVIDER ID	
PRICE INFORMATION ID	
VERSION OF THE PRICE INFORMATION	
AREA CODE	
USABLE DEVICE CONDITIONS	
USERS PERMITTED TO USE THE CONTENT	
IDC IDENTIFIER LIST	
CONTENT PROVIDER ID	
DEALING POLICY ID	
NUMBER OF RULES	
RULE ADDRESS	
RULE 1	RULE NUMBER
	:
	:
:	:
RULE N	RULE NUMBER
	:
	:
(INDICATION OF WHETHER THE SIGNATURE HAS BEEN VERIFIED)	
PUBLIC KEY CERTIFICATE	
SIGNATURE	

721

100220-2221000

FIG. 37




FIG. 38

DATA TYPE	
TYPE OF USAGE PERMISSION CONDITION INFORMATION	
PERIOD DURING WHICH THE USAGE PERMISSION CONDITION INFORMATION IS VALID	
CONTENT ID	
ALBUM ID	
ENCRYPTION PROCESSING UNIT ID	
USER ID	
CONTENT PROVIDER ID	
DEALINGF POLICY ID	
VERSION OF DEALING POLICY	
SERVICE PROVIDER ID	
PRICE INFORMATION ID	
VERSION OF PRICE INFORMATION	
ID OF USAGE PERMISSION CONDITION INFORMATION	
RULE NUMBER OF PERMISSION FOR PLAYBACK (USAGE)	
PERMITTED USAGE NUMBER	
NUMBER OF TIMES THE CONTENT IS ALLOWED TO BE FURTHER PLAYED BACK	
PERIOD DURING WICH THE PLAYBACK PERMISSION IS VALID	
RULE NUMBER OF PERMISSION FOR COPYING (USE)	
USAGE PERMISSION NUMBER	
NUMBER OF TIMES THE CONTENT IS ALLOWED TO BE FURTHER COPIED	
UCS GENERATION MANAGEMENT INFORMATION	732
NUMBER OF TIMES UCS IS ALLOWED TO BE SECONDARILY DISTRIBUTED	733
IDC IDENTIFIER LIST	731
ID OF THE ENCRYPTION PROCESSING UNIT HAVING PERMISSION IN TERMS OF PLAYBACK	

FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43





FIG. 44



09943893.023001

ERROR




FIG. 46




FIG. 47A




FIG. 47B




FIG. 48A




FIG. 48B




FIG. 49A




FIG. 49B




FIG. 50A





FIG. 50B



100800-86887660

FIG. 51A




FIG. 51B




FIG. 52A




FIG. 52B




FIG. 53




FIG. 54

PRECONDITIONS:

- IDC AND PKC HAVE BEEN ACQUIRED
- USER REGISTRATION IN THE CONTENTS PROVIDING SERVER HAS BEEN PERFORMED




FIG. 56




FIG. 57




FIG. 59




FIG. 60




FIG. 61




FIG. 63




FIG. 64




FIG. 65




FIG. 67




FIG. 69




FIG. 72




FIG. 73




FIG. 74




FIG. 75




FIG. 76




FIG. 77




FIG. 78




FIG. 79




FIG. 80A




FIG. 80B




FIG. 81




FIG. 82




FIG. 83




FIG. 84




FIG. 85




FIG. 86




FIG. 87

